

# Winkeo2J-C FIDO2

USB-C security key FIDO2 (+U2F)  
Passwordless



**fido**  
CERTIFIED

## Authentification forte pour le web / cloud et applications

Winkeo2J-C FIDO2 includes:

- ✓ USB-C HID interface
- ✓ Smart card certified Common Criteria EAL6+
- ✓ FIDO2 (CTAP 2.1) + FIDO U2F applications, certified FIDO2 L2

FIDO2 products are compatible with FIDO2 and FIDO U2F services.



### Supported operating systems and browsers

- Windows, Mac OS, Linux, Android, iOS, Chrome, Edge, Firefox, Safari
- No software installation on the client workstation



### Integrated smart card (Mini SIM)

- Java Card™
- CC EAL6+
- DES/3DES, AES, ECC, RSA
- Credential generation, management and storage inside the smart card



### Wide compatibility

- Windows 10/11 with Microsoft Entra ID and over 250 online services such as Gmail, Paypal, OVH, WordPress, Dropbox
- Identity federations such as Evidian, Ilex, Okta, Ping Identity



The **Winkeo2J-C FIDO2** is NEOWAVE's new generation of USB Type-C security keys designed to provide strong authentication, both on the web and in the cloud. **Compatible with the FIDO2 (CTAP 2.1) and FIDO U2F standards**, and **certified FIDO2 L2**, it ensures maximum protection against phishing and password theft, while remaining simple and quick to use.

- ✓ Easy to use and deploy (HID device: no driver required)
- ✓ Credential generation, management and storage inside the smart card
- ✓ User presence by button
- ✓ Anti-Phishing protection (to replace vulnerable SMS solutions)
- ✓ No "key wrapping" / No shared key preinstalled

### Interface(s)

- USB-A 2.0 HID

### Smart card

- Common Criteria EAL6+ certified component

### Supported operating systems

- Windows, Mac OS, Linux, Android, iOS

### Browsers

- Chrome, Edge, Firefox, Safari

### FIDO2 features

- Crypto-algorithm:
  - ECC P-256
- hmac-secret
- Resident keys (rk) - Detectable credentials
  - Maximum number limited by an available persistent memory (200 to 512 bytes per credential)
- User PIN
  - PIN length between 4 Unicode characters and 63 bytes
  - PIN try limit set to 8.
  - After 8 unsuccessful tries, the authenticator must be reset.

### Customization options:

- credBlob
- largeBlobKey
- minPinLength
- pinUvAuthToken
- noMcGaPermissionsWithClientPin
- setMinPINLength
- ep - Enterprise Attestation
- authnrCfg
- credMgmt
- largeBlobs
- makeCredUvNotRqd
- alwaysUv

### Supported signature-algorithm

- ECC P-256 (secp256r1)

### Dimensions and weight

- Length 39.7 mm / width 18 mm / height 8.25 mm
- Weight: 5 g



## About FIDO (Fast IDentity Online)

The FIDO Alliance, bringing together major players such as Google, Microsoft and Apple, encourages the adoption of FIDO2 for passwordless authentication using passkeys based on cryptographic keys, as well as FIDO U2F for enhanced second factor authentication. Devices such as Winkeo keys and Badgeo cards contribute to increased protection against phishing cyberattacks.

## About NEOWAVE

NEOWAVE specializes in strong authentication and secure transactions. NEOWAVE's products combine the high level of security provided by smart cards with the advantages of storage and connectivity technologies: USB, RFID / NFC and Bluetooth Low Energy (BLE). NEOWAVE products and services address the cybersecurity, digital trust and identity management markets.